




Click Here To View
Item at

www.GapPower.com

*Sales • Rentals
Parts & Service*

BRIGGS ENGINE ASSEMBLY




BRIGGS ENGINE PARTS LIST

| ITEM | P/N | QTY | DESCRIPTION |
|------|-----|-----|-------------------------------|
| 1 | | 1 | MUFFLER |
| 1A | | 1 | SPARK ARRESTER |
| 2 | | 1 | HEAT SHIELD |
| 3 | | 2 | SCREW, HEX WASHER |
| 4 | | 1 | BRIGGS ENGINE |
| 5 | | 1 | COUPLING |
| 6 | | 1 | SQUARE KEY |
| 7 | | 2 | CAPSCREW, 3/8-16 × 1-1/4 |
| 8 | | 1 | PRESSURE SWITCH |
| 9 | | 4 | FLANGE NUT |
| 10 | | 1 | CLAMP |
| 11 | | 1 | BUSHING |
| 12 | | 1 | KEY |
| 13 | | 1 | BLOWER HUB |
| 14 | | 3 | CAPSCREW |
| 15 | | 1 | FILTER ASSY |
| 16 | | 2 | CAPSCREW |
| 17 | | 1 | GRIP PLATE |
| 18 | | 1 | STD THREAD UNION |
| 19 | | 4 | BUTTON HEAD HS |
| 20 | | 2 | WASHER, 1/4 IN. ID |
| 21 | | 2 | CAPSCREW, 1/2 -20 UNC |
| 22 | | 1 | FRONT GRILLE |
| 23 | | 1 | COOLER |
| 24 | | 2 | CAPSCREW, 3/8 |
| 25 | | 1 | HYDRAULIC TANK |
| 26 | | 2 | WEATHER STRIP |
| 27 | | 1 | BLOWER WHEEL |
| 28 | | 4 | HEX FLANGE BOLT, 1/4 -20 |
| 29 | | 1 | ENGINE CONTROLLER |
| 30 | | 9 | HEX FLANGE BOLT 5/16-18 × 1/2 |
| 31 | | 1 | FRAME BASE WELDMENT |
| 32 | | 2 | WHEEL & TIRE |
| 33 | | 1 | AXLE |
| 34 | | 1 | PUMP, SINGLE |
| 35 | | 1 | FUEL CAP |
| 36 | | 1 | GROMMET |
| 37 | | 1 | FUEL TANK |
| 38 | | 1 | BATTERY |
| 39 | | 1 | BATTERY COVER |
| 40 | | 1 | CAPSCREW, 1/4-20 × 3/4 |
| 41 | | 1 | HEX FLANGE BOLT |
| 42 | | 2 | HANDLE BUMPER |
| 43 | | 3 | HEX FLANGE BOLT, 5/16 × 1-3/4 |
| 44 | | 4 | LOCKWASHER, 3/8 |

| ITEM | P/N | QTY | DESCRIPTION |
|------|-----|-----|-------------------------|
| 45 | | 2 | FOOT |
| 46 | | 4 | FLANG NUT, 3/8-16 |
| 47 | | 4 | HEX FLANGE BOLT, 3/8-16 |
| 48 | | 2 | RETAINING RING |
| 49 | | 2 | WASHER, 3/4 |
| 50 | | 1 | BLOWER HOUSING |
| 51 | | 1 | PUMP MOUNT |
| 52 | | 1 | FUEL ELBOW |
| 53 | | 2 | STUD |
| 54 | | 1 | NUT |
| 55 | | 1 | HEAT SHIELD |
| 56 | | 2 | HEX WASHER HEAD SCREWS |
| 57 | | 1 | SCREW |
| 58 | | 1 | CABLE CLAMP |
| 59 | | 1 | RECTIFIER WIRE |
| 60 | | 1 | THROTTLE LEVER |
| 61 | | 2 | HEX FLANGE BOLT |
| 62 | | 1 | ANGLE BRACKET WELDMENT |
| 63 | | 1 | ROTARY ACTUATOR |
| 64 | | 1 | ACTUATOR BRACKET |
| 66 | | 1 | WIRE ASSEMBLY |
| 67 | | 4 | HEX HD CAPSCREW 6-32 |
| 69 | | 1 | HEX HD CAPSCREW 8-32 |
| 70 | | 1 | LINK RETAINER |
| 71 | | 3 | SPRING HOSE CLAMP |
| 72 | | 1 | FUEL VAPOR HOSE |
| 73 | | 1 | BARB |
| 74 | | 1 | EMISSIONS STICKER |
| 75 | | 2 | SPRING HOSE CLAMP |
| 76 | | 1 | HOSE (FUEL) |


P95 FRAME PARTS LIST



| ITEM | P/N | QTY | DESCRIPTION |
|------|-----|-----|---------------------------------|
| 1 | | 7 | CAPSCREW, 5/16 IN. -18 UNC |
| 2 | | 7 | NYLOCK NUT, 5/16 IN. -18 UNC |
| 3 | | 1 | HANDLE, REAR LIFT |
| 4 | | 1 | COUPLER, MALE 3/8 IN., -8 SAE |
| 5 | | 1 | COUPLER, FEMALE 3/8 IN., -8 SAE |
| 6 | | 2 | CAPSCREW, 1/4 IN. -20 |
| 7 | | 1 | MANIFOLD ASSY, SINGLE CIRCUIT |
| 8 | | 1 | DASH DECAL |
| 9 | | 6 | HEX FLANGE BOLT, 1/4 IN. -20 |
| 10 | | 1 | DECAL, SINGLE CIRCUIT |
| 11 | | 1 | KNOB (PART OF ITEM 13) |
| 12 | | 1 | 2-WAY SWITCH |
| 13 | | 1 | ROTARY SWITCH |
| 14 | | 1 | 3-WAY SWITCH |
| 15 | | 1 | HOUR METER |
| 16 | | 1 | FRAME WELDMENT |


| ITEM | P/N | QTY | DESCRIPTION |
|------|-----|-----|------------------------------|
| 17 | | 2 | HEX FLANGE BOLT, 3/8 IN. -16 |
| 18 | | 1 | HANDLE LOCK |
| 19 | | 2 | LIFT HANDLE |
| 20 | | 1 | COOLER GUARD |
| 21 | | 2 | FLANGE NUT, 1/4 IN. -20 |
| 22 | | | NO ITEM |
| 23 | | 2 | HOLLOW HEX PLUG 6 SAE |
| 24 | | 1 | RELIEF VALVE |
| 25 | | - | NO ITEM |
| 26 | | 1 | PRESSURE SWITCH ASSY |
| 27 | | 1 | DIRECTIONAL VALVE |
| 28 | | 1 | CAP (INCLUDED WITH ITEM 27) |
| 29 | | 1 | COIL |
| 30 | | 1 | STICKER, CE |
| 31 | | 1 | STICKER, SOUND POWER LEVEL |
| 32 | | 1 | CHOKE CABLE ASSY |

HOSE FITTINGS & CLAMPS LIST



| ITEM | P/N | QTY | DESCRIPTION |
|------|-----|-----|--|
| 1 | | 1 | MANIFOLD ASSY, SINGLE CIRCUIT |
| 2 | | 1 | HOSE BARB, 3/4 IN. HOSE × 3/4 IN. PIPE |
| 3 | | 4 | HOSE CLAMP |
| 4 | | 1 | ELBOW, 45° STRAIGHT THREAD |
| 5 | | 1 | ADAPTER |
| 6 | | 1 | ELBOW, 90° |
| 7 | | 1 | HOSE |
| 8 | | 1 | CONNECTOR, STRAIGHT THREAD |
| 9 | | 1 | ELBOW, 45° |
| 10 | | 1 | HOSE |
| 11 | | 1 | HOSE |
| 12 | | 1 | HOSE BARB, 3/4 IN. HOSE × 3/4 IN. PIPE |

P95 WIRING HARNESS



LIMITED WARRANTY POLICY

This limited warranty is offered for 90 days (30 days if product is used in rental) from date of original purchase on ICS® manufactured parts. Components not manufactured by ICS® will be covered for the period and according to the provisions of each manufacturer's warranty. During the warranty period, ICS® will replace or, at its option, repair for the original purchaser only, free of charge, any product or part manufactured by ICS® which is found upon examination by ICS® to be defective in material and/or workmanship. The purchaser shall be responsible for all transportation charges and any cost of removing any part submitted for replacement under this warranty. This warranty does not cover any failure caused by accident, abuse, misuse, improper maintenance, normal wear, neglect, damage caused by stale or improper fuel mix or operation under conditions not specified by ICS®. There are no other warranties expressed or implied. There is no implied warranty of merchantability and no implied warranty of fitness for a particular purpose. Replacement or repair is the exclusive remedy, and ICS® disclaims all liability for incidental and consequential damages of any kind.

POWER UNITS & GAS/FUEL DRIVEN EQUIPMENT: A1. Federal Emission Component Compliance 40CFR part 1060.120 ICS warrants all fuel system emission components for 2 years from the date of original purchase provided there has been no abuse, neglect, modifications, or improper maintenance.

Components covered. The emission-related warranty covers all components whose failure would increase the evaporative emissions. Your emission related warranty does not cover components whose failure would not increase evaporative emissions. Coverage under this warranty extends only to the following parts; fuel tank, fuel cap, fuel hose and vapor hose from the fuel tank to the engine and any connectors that are apart of the fuel system.

The equipment is designed, built, and equipped so it conforms at the time of sale to the ultimate purchaser and each subsequent purchaser and is in compliance with 40 C.F.R. 1060.120 standards. The equipment is free from defects in materials and workmanship that may keep it from meeting these requirements.



**The best way
to cut concrete™**

ICS, Blount Inc.
4909 SE International Way
Portland, Oregon 97222
www.icsbestway.com