



Parts & Service



THE 814PR0




814PRO BIG PERFORMANCE IN A SMALL PACKAGE

It may be small, but the 814PRO is ready for the big jobs. Lighter than other hydraulic saws with the ability to cut perfectly square openings as small as $3\frac{1}{2}$ inches (9 cm), the 814PRO is a natural for utility work and other applications where a mix of portability and power are required.

SAW SELECTION

In addition to cutting depth and power requirements, estimated frequency of use is important when selecting a saw. Use the chart below to determine the right saw for your cutting needs.



814PRO PRODUCT SPECIFICATIONS

WEIGHT	21 lbs 9.6 kg (without bar and chain)
BAR LENGTH	13 in (32 cm)
MOTOR SPEED	8800 rpm
POWERHEAD DIMENSIONS	14.3 in (36.3 cm) length 11.3 in (28.7 cm) height 9.2 in (23.4 cm) width
TORQUE	84 in-lbs (9.5 Nm)
HORSEPOWER	11.5 hp (8.6 kW)
HYDRAULIC SUPPLY	8 gpm (30 lpm), 2500 psi (172.5 bar)
NOISE LEVEL	88 dB @ 3 ft (1 m)
VIBRATION LEVEL	3.5 meters/second ² (front handle)
WATER SUPPLY	Minimum 20 psi (1.5 bar)

 Product data shown is rated based on maximum input conditions and efficiency assumptions and may vary dependent on power supply.





ICS | Blount Inc. • 4909 SE International Way Portland, OR 97222 USA • Ph 800.321.1240 • Fax 503.653.4393 icsbestway.com Copyright 2012 ICS | Blount Inc. Pricing and specifications subject to change without notice. All rights reserved. ICS, WallWalker, SpeedHook, SealPRO, FORCE4 and PowerGrit are registered trademarks of ICS. The best way to cut concrete, DCT, TSS, ProFORCE and TwinMAX are trademarks of ICS. 0112