



Sales Rentals

Sales Service

Parts & Service

Trakita Sanders

Finishing Sander B03700X6







Lower Vibration

- Ergonomic handle design for operator comfort and control
- 10,000 OPM for smooth finish sanding
- Large clamping lever for quick and easy paper installation
- Large trigger switch for easier operation
- Effective dust collection system for cleaner work environment

MODEL BO3700X6 INCLUDES: 8 ea. Abrasive paper (#120; 794568-3), Dust bag (151780-2), Punch plate (192945-7)

Specifications:

Pad size	3-5/8" x 7-1/4"
Abrasive paper size	3-5/8" x 9"
No load speed	10,000 OPM
AMPS (115V)	1.6
Dimensions (L x W x H)	10" x 3-5/8" x 6-1/4"
Net weight	3.1 lbs.
Shipping weight	5.6 lbs.

Through-the-Pad Dust Collection System

- · Uses commonly available 4-1/2" x 9" hook-and-loop or 4-1/2" x 11" half sheet abrasive paper
- · Easily hooks up to a vacuum hose for more effective dust collection
- · Minimized vibration and contoured grips for added comfort
- · Large trigger switch for easier operation
- · Ideal for cabinet workers, boat builders or furniture makers

MODEL BO4900V INCLUDES: 1 ea. Abrasive paper #120 (A-14093), Paper dust bag holder (193525-2), Paper dust bag (193526-0)

Specifications:

Pad size	4-1/2" x 9"
Abrasive paper size: Conventional type Hook-and-loop	4-1/2" x 11" 4-1/2" x 9-1/8"
No load speed	4,000 - 10,000 OPM
AMPS (115V)	2.9
Vibration (m/s²)	5.0
Overall length	11-3/8"
Net weight	6.0 lbs.
Shipping weight	8.8 lbs.

Compact Design for Sanding in Close Quarters

- · Variable speed control dial to match the speed to the application
- Adjustable sanding arm pivots 100° for hard-to-reach areas
- Easily adjustable belt tracking with a turn of the knob
- · Compact with less weight (3.5 lbs.)
- 3 different size arm assemblies and belts available (1/4", 3/8", 1/2") for increased versatility

MODEL 9032 INCLUDES: 2 ea. Abrasive belt (#80; A-34469), 3/8" Arm assembly (125158-5)

Specifications:

Belt size	3/8" x 21"
Belt speed	980 - 5,600 ft./min.
Max. sanding length	4-5/16"
AMPS (115V)	4.4
Overall length	16-1/2"
Net weight	3.5 lbs.
Shipping weight	4.4 lbs.

1-1/8" x 21" Belt Sander Variable Speed

9031





3" x 18" Belt Sander 9911 Variable Speed

9901





3" x 21" Belt Sander

Variable Speed Control Dial

- Compact with less weight (4.6 lbs.) for use in close quarters
- · Ball bearing construction for longer tool life
- Narrow belt and exposed front pulley for use on irregular shapes
- Multi-position side handle for easy and comfortable operation
- Lock-on button for continuous operation
- · Connects to dust collector for a cleaner work environment

MODEL 9031 INCLUDES: 2 ea. Abrasive belt (#40; 742301-7, #60;742302-5,#80;742303-3,#100;742304-1,#120;742305-9)

Belt size	1-1/8" x 21"
Belt speed	656 - 3,280 ft./min.
AMPS (115V)	5.0
Overall length	15"
Net weight	4.6 lbs.
Shipping weight	6.3 lbs.

Compact and Well Balanced for Easier Operation

- · Powerful 5.6 AMP motor and variable speed control dial to match the speed to the application
- Innovative design for sanding flush to wall
- Auto-tracking belt system tracks belt without adjustment
- · Low noise (82dB) for operator comfort
- · Flat top design allows sander to be turned and used as a bench top tool
- · Highly efficient dust collection system

MODELS 9911 INCLUDES: 1 ea. Abrasive belt (794551-A), Dust bag (122548-3)

specifications:	
Belt size	3" x 18"
Belt speed	250 - 900 ft./min.
AMPS (115V)	5.6
Overall length	10-3/8"
Net weight	6.0 lbs.
Shipping weight	6.6 lbs.

Compact and Well Balanced for Easier Operation

- · Powerful 6.7 AMP motor delivers a belt speed of 1,246 ft./min.
- · Easy-release belt lever for quick belt changes
- · Replaceable ceramic wear plate for easy maintenance
- · Dust bag for a cleaner work environment
- · Compact design with less weight (7.7 lbs.)
- · Double insulated

MODEL 9901 INCLUDES: 1 ea. Abrasive belt (#80; 742308-3), Dust bag (122329-5)

specifications.	
Belt size	3" x 21"
Belt speed	1,246 ft./min.
AMPS (115V)	6.7
Overall length	12-7/8"
Net weight	7.7 lbs.
Shipping weight	8.9 lbs.

Sanders *Trakita*





9920 3" x 24" Belt Sander Variable Speed





9924DB Tradition

Powerful 8.8 AMP Motor; only 85dB

- · Variable speed control dial to match the speed to the application
- · Auto-tracking belt system tracks belt without adjustment
- · Innovative design for sanding flush to wall with nose and side of sander
- · Front grip design for comfortable operation
- · Dust bag for a deaner work environment
- · Long 16.4 ft. power cord for easier maneuverability
- · Optional sanding shoe available for precise sanding depth control

MODEL 9903 INCLUDES: 1 ea. Abrasive belt (#80;742308-3), Dust bag (122591-2)

Specifications:

Belt size	3" x 21"
Belt speed	690 - 1,440 ft./min.
AMPS (120V)	8.8
Overall length	11-5/8"
Net weight	9.5 lbs.
Shipping weight	13.2 lbs.

Powerful 8.8 AMP Motor; only 84dB

- Variable speed control dial to match the speed to the application
- Electronic speed control maintains constant speed under load
- · Auto-tracking belt system tracks belt without adjustment
- · Innovative design for sanding flush to wall with nose and side of sander
- · Front grip design for comfortable operation
- Dust bag for a cleaner work environment
- Long 16.4 ft. power cord for easier maneuverability

MODEL 9920 INCLUDES: 1 ea. Abrasive belt (#80; 742312-8C), Dust bag (122591-2)

Specifications:

Belt size	3" x 24"
Belt speed	690 - 1,440 ft./min.
AMPS (120V)	8.8
Overall length	13-1/8"
Net weight	9.9 lbs.
Shipping weight	12.4 lbs.

4" x 24" Belt Sander

Low Profile Balanced Design

- · Powerful 7.8 AMP motor for fast material removal
- Extended base to allow flush sanding
- · Innovative design for sanding flush to wall with nose and side of sander
- · Extra long cord for easier maneuverability
- · Easy-release belt lever for quick belt changes
- · Ball bearing construction for longer tool life

MODEL 9924DB INCLUDES: 1 ea. Abrasive belt (#80;742312-8C), Dust bag (122296-4)

Specifications:

Belt size	3" x 24"
Belt speed	1,300 ft./min.
AMPS (115V)	7.8
Overall length	14"
Net weight	10.6 lbs.
Shipping weight	13.2 lbs.



Variable Speed Control Dial

· Low noise (84dB) for operator comfort

· 8.8 AMP motor for fast material removal

Dust bag for a deaner work environment

Long 16.4 ft. power cord for easier maneuverability

Auto-tracking belt system tracks belt without adjustment

· Innovative design for sanding flush to wall with nose and side of sander

· Optional sanding shoe available for precise sanding depth control

MODEL 9404 INCLUDES: 1 ea. Abrasive belt (#80; 742322-9),



Powerful 11 AMP Motor for High Production Use

- · Low noise (84dB) for operator comfort
- 4" wide belt with a speed of 1,640 ft./min.for fast material removal
- Labyrinth construction seals and protects motor and bearings from contamination
- Large front grip is positioned for operator comfort
- Cord is located on the upper portion of the handle for operator convenience

MODEL 9403 INCLUDES: 1 ea. Abrasive belt (#80;742322-9), Dust bag (122562-9)

Specifications:

4" x 24"

13-1/8" 10.3 lbs.

12.7 lbs.

8.8

690 - 1,440 ft./min.

Belt size	4" x 24"
Belt speed	1,640 ft./min.
AMPS (120V)	11.0
Overall length	13-7/8"
Net weight	12.6 lbs.
Shipping weight	15.4 lbs.



Unique Design for More Controlled Operation • Powerful 7.8 AMP motor delivers 3,500 RPM for fast and efficient paint

- and rust removal; brings out wood grain
- Innovative design for sanding flush to wall with nose and side and sander
- · Adjustable front roller for uniform pressure to workpiece
- Well balanced with a low center of gravity for easier operation
 Electric brake for maximum productivity

MODEL 9741 INCLUDES: Nylon brush wheel (794379-6); 2 ea. Hex wrench (783204-6)

Specifications:

4-3/4" x 4"
3,500 RPM
7.8
12-1/4"
9.3 lbs.
11.4 lbs.



Dust bag (122591-2)

Specifications:

Belt size

Belt speed

AMPS (120V)

Net weight

Overall length

