



Sales Rentals

Sales Service

Parts & Service

4" ELECTRONIC WET STONE POLISHER



SPEED



Speed Dial provides optimum speed settings from (2,000 - 4,000 RPM) for professional finishes

ERGONOMICS



Water hose is located on the bottom of the slim barrel grip for added control and comfort

FINISH



Three holes on the spindle spreads the water evenly on the entire pad for finish results without clogging

CONVENIENCE



The water flow is easily controlled with the conveniently located solid brass ball valve

FLAWLESS FINISH

4" ELECTRONIC WET STONE POLISHER

Model PW5001C

Features & Benefits

- Powerful 7.9 AMP motor and lightweight (4.6 lbs.)
- High power-to-weight ratio for reduced operator fatigue
- Electronic speed control maintains speed under load
- Soft-Start technology delivers smooth start-ups; variable speed
- Housing cover protects the industrial die cast aluminum gear housing
- 3 holes at the spindle top evenly spread water to the pad and prevents the pad from clogging
- Overload switch to protect armature failure
- Includes a Ground Fault Circuit Interrupter (GFCI) Plug
- Pre-setting dial (2,000 4,000 RPM) for optimum rotating speed



Number	RPM (min.)
1	2,000
2	2,500
3	3,000
4	3,500
5	4,000

Standard Equipment

- Side Handle (152490-4)
- Head Cover (417322-5)
- Wrench (781008-0)

Specifications


Polishing Disc	4"
No Load Speed	2,000 - 4,000 RPM
AMPS	7.9
Spindle Thread	5/8 - 11"
Overall Length	12-1/4"
Net Weight	4.6 lbs.
Shipping Weight	8.4 lbs.
Master Carton Quantity	4
UPC Code	088381-05445-4

Accessories

- Tool Organizer/Storage Bag (821004-A)
- 4" Backing Pad (743079-5)







Model PW5001C





Makita offers a wide variety of sanding and polishing accessories. For a complete listing, please refer to the Makita General Catalog, or visit our website at www.makitatools.com, or call 1-800-4MAKITA.