



Sales Rentals

Sales Service

Parts & Service

Productivity Is The Right Tool For The Job... From The Deepest Tool Box In The Laser Business.

Model	Model Horizontal Accuracy		Application				
Laser Levels							
LL100	1/8 in @ 100 ft (3.0 mm @ 30 m)	1,000 ft (300 m)	Forms, footings and foundations (residential jobs) Septic tank or swimming pool installations Estimating out and fill Decks and terraces				
LL300	3/32 in @ 100 ft (2.2 mm @ 30 m)	1,300 ft (400 m)	Blevation control across small- and mid-size construction sites Bux-sulpris Basic slopes Leveling forms and footers Concrete pours 1 m (4 ft) marks				
LL400	1/16 in @ 100 ft (1.5 mm @ 30 m)	2,600 ft (800 m)	Dhecking letting elevations, concrete forms, footings, and foundations for important control in the important contro				
LL500	1/16 in @ 100 ft (1.5 mm @ 30 m)	1,600 ft (500 m)	Checking elevations Setting concrete forms, footings, and foundations (small-to-large jobs) Ideal for larger pads Machine control compatible				
Grade & Universa	l Lasers						
GL412/GL422	1/16 in @ 100 ft (1.5 mm @ 30 m)	2000 / 2600 ft (600 / 800 m)	Leveling concrete forms and footers Vertical alignment and plumb such as anchor bolt and form alignment Single and dual slope grading and excavating applications Grading sports fields, tennis courts and driveways				
GL512/GL522	1/16 in @ 100 ft (1.5 mm @ 30 m)	2000 / 2600 ft (600 / 800 m)	Steep slope road embankments and ditch banks High accuracy grade work Weless renote monitoring with HL750 Single and dual slope grading and excavating applications				
UL633	1/16 in @ 100 ft (1.5 mm @ 30 m)	2600 ft (800 m)	Dual slope grading and steep slope excavating Procision grade up to 25% in X, Y and Z axis Ordiff reversical signment and plumb Pipe and drainage installations, measuring slopes in existing pipes				
Horizontal & Verti	cal Lasers						
HV101	1/8 in @ 100 ft (3 mm @ 30 m)	Receiver: 1000 ft (300 m) Visible: 200 ft (60 m)	Interior and exterior light commercial and residential construction Leveling and aligning of interior walls and ceilings Exterior elevation checking and interior finishing work				
HV301/HV301G	3/32 in @ 100 ft (2.2 mm @ 30 m)	Receiver: 1600 ft (500 m) Visible: 330 ft (100 m) / 500 ft (150 m)	Interior and exterior light to medium commercial and residential projects W301G Green beam for extended ranges or bright light conditions Leveling and aligning walls, cellings, and raised floors Interior financing work				

	Laser Levels			Grade & Universal Lasers				Horizontal & Vertical Lasers	
	LL100	LL300	LL400	LL500	GL412/512	GL422/522	UL633	HV101	HV301/301G
Laser type / classification	650 nm visible, Class 2	635 - 670 nm visible, Class 2	650 nm visible, Class 2	670 nm, Class 2	650 nm, Class 2, 3 mW	650 nm, Class 3A/3R, <5 mW	650 nm, Class 3A/3R, <5mW	635 nm, Class 3A/3R, <5 mW	635 nm / 532 nn Class 3A/3R, <5 mW
Self-leveling range	±5 degrees electronic servo self-leveling	±5 degrees electronic serve self-leveling	±5 degrees electronic servo self-leveling	±11 minutes wire hung compensator	±5 degrees electronic servo self-leveling	±5 degrees electronic servo self-leveling	±14 degrees electronic servo self- leveling	±5 degrees electronic servo self- leveling	±5 degrees electronic servo self-leveling
Out-of-level indication	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Power source	2 x D-cell Alkaline	4 × D-cell Alkaline standard, recharge optional	4 x D-cell Alkaline standard, NiMH optional	4 × D-cell Alkaline standard, recharge optional	4 x D-cell NiMH standard, Alkaline backup	4 x D-cell NiMH standard, Alkaline backup	4 x D Cell, NiMH Pack standard, Alkaline backup	2 x D-cell Alkaline	4 × D-cell recharge batteries, Alkaline backup
Battery life	80 hr Alkaline	90 hr Alkaline, 45 hr NiMH	90 hr Alkaline, 55 hr NiMH	175 hr Alkaline, 100 hr NiMH 75 hr Ni-Cad	90 hr Alkaline, 28 / 55 hr NiMH	90 hr Alkaline, 28 / 55 hr NiMH	40 hr alkaline, 35 hr NiMH	50 hr Alkaline	90 /45 hr Alk, 40 / 18 hr Rechargeable
Grade Capability	Manual - Single axis	Manual - Single axis	Manual - Single axis	No	Electronic -10 to +15% Single Axis	Electronic -10 to +15% Dual Axes	Electronic -25% to +25% X, Y, Z Axis	Manual - Single axis	Manual - Single axis
Warranty	3 Years	2 Years	2 Years	2 Years	2 Years	2 Years	5 Years	3 Years	2 Years
		Laser Poir	nters, Line Ger	nerator, and Ha	ndheld Distai	nce Measuring	Devices		
	LP	30	LP50	5.2XL	1.3XL	1.5P	L H	ID100	QM75
Self-leveling	Ye	rs	Yes	Yes	Yes	+/- 3'		N/A	N/A
Working range - Vis	sible 100 ft	(30 m) 1	100 ft (30 m)	100 ft (30 m)	100 ft (30 m) 100 ft (30	0 m) 330	ft (100 m)	230 ft (70 m)
With Receiver	N/	'A	N/A	250 ft (75 m)	250 ft (75 m) 250 ft (75	5 m)	N/A	N/A
Accuracy	+/- 1/16 i 1.5 mm		1/16 in at 17 ft 5 mm @ 5 m	+/- 1/16 in at 17 ft 1.5 mm @ 5 m	+/- 1/16 in at 1 1.5 mm @ 5			/-1/16 in 1.5 mm	+/- 1/16 in 1.5 mm
Warranty	3 Ye	ars	3 Years	3 Years	3 Years	1 Yea	r :	3 Years	3 Years
				Optical Au	to Levels				
	Al	L20M	AL24A	AL2	4M	AL28A	AL28M / A	L28M-G	AL32A
Magnification		20x	24×		lx	28×	28	×	32x
Accuracy	+/- 2.5 mm (0.10 in)*		±2.0 mm (0.08	in)* ±2.0 mm	±2.0 mm (0.08 in)* ±1.		±1.5 mm ((0.06 in)*	±1.0 mm (0.04 in)
Aperture	30 mm (1.2 in)		30 mm (1.2 i	n) 30 mm	30 mm (1.2 in)		30 mm ((1.2 in)	36 mm (1.4 in.)
Shortest focus	0.6	n (1.97 ft)	0.6 m (1.97 f	t) 0.6 m (1.97 ft)	0.6 m (1.97 ft)	0.6 m (1	1.97 ft)	0.6 m (1.97 ft)
Compensator	Magnetic dampened		Air dampened Magnetic da		tampened	mpened Air dampened		Magnetic dampened	
*Note: Standard dev	iation according to	DIN 18723 on	one kilometer of do	uble leveling			AL28M-G ava	ilable in gon	

The Broadest Line From the Strongest Name in Lasers



Construction Productivity Tools

Toughest on Earth Strongest Warranty Easiest to Use

Contact Information:

TRIMBLE / SPECTRA PRECISION DIVISION 8261 State Route 235 Dayton, Ohio 45424-6383 U.S.A. (888) 527-3771 (Toll Free in U.S.A.) +1-937-203-4419 Phone +1-937-482-030 Fax www.trimble.com/spectra

An Entire industry. Invented here.
There's a reason Spectra Precision is the strongest name in the industry. We invented the industry. From day one, we have pioneered every major development in laser positioning for construction. That's why you'll find over one million of our professional rotating lasers on job sites around the world... more than any other brand.

Spectra Precision instruments are engineered with state-ofthe-art components, giving you the most dependable, easiest to use, laser on the job site. Spectra Precision products are always ready to work when you are.

Best Support

Each Spectra Precision product is built with the user in mind. That is why we test and retest every laser we manufacture to assure you the most dependable, accurate laser in the world. Backed by the world's largest network of repair centers, Spectra Precision is unmatched for service, support and dependability.

Easiest to Use

Best Support

€ €

D 2005-2012, Trimble Navigation Limited. All rights reserved. Irimble, the Globe & Triangle logo, and Spectra Precision are conformated of Trimble Navigation Limited registered in the United States Patent and Trademark Office and other countries. All other rademarks are the property of their respective owners. N 022495-175L (04/12)



EUROPE Trimble Kaiserslautern GmbH Am Sportplatz 5 67661 Kaiserslautern



Laser Levels

LL100

Complete system in one case
—includes laser, HR320 receiver, rod, and tripod

. Convenient storage and transportation.

Compensated self-leveling. maintains level automatically

Maintains accuracy over the entire work area, and minimizes errors.

Robust design

. 3 year no downtime warranty keeps productivity high and operating costs low.

LL300

Rugged design with "hard hat" rotor protection

Superior drop and weather protection

Fully automatic self-leveling · Provides fast and accurate set-up

Extremely versatile with

single-axis manual slope Cross-axis self-leveling allows for grade matching on the job site.



COLV

LL400

Fast setup and automatic self-leveling

 Minimizes operating costs and boosts productivity.

Highly rugged design and patented lighthouse seal

 Superior drop and weather protection

Single-axis slope mode

Provides grade matching with self-leveling cross axis.

LL500

III 633

and Z axis

500 m (1,600 ft) working diameter

Long-range accurate laser increases productivity by reducing the need for multiple setups on large job sites.

Built-in leveling system with out-of-level shut off

Maintains accuracy over the entire work area and minimizes errors.

High accuracy laser, 1.5 mm per 30 m (1/16 per 100 ft) with

Universal Lasers

temperature compensation

Highly stable and repeatable accuracy even under large temperature changes.

LR20, LR30, LR50, LR60 operator productivity

Check grade from the machine cab.

Machine Receivers

 Saves labor, time, and fuel. Use on backhoes, excavators, dozers, box blades, trenchers and skid steer attachments.

All I R receivers feature Versatile 360 degree reception

- . Works with all types of rotating lasers. Multiple accuracy selections
- · Power options and long battery life.
- Ultra-bright LED's with green on-grade.



 LR20 and adjustable magnetic mount for compact machines



 LR30 for general grading 3 selectable accuracies



 LR50 for excavating and grading Built in blade tilt and and unique angle plumb indication compensation

LR60 for excavating

Horizontal & Vertical Lasers

HV101

Bright beam, scanning



HV301

Temperature compensation Maintains accuracy regardless of season

Composite material housing is rugged, lightweight and weatherproof

Easy for contractor to carry and use in demanding jobsite conditions, less downtime for repair

Fully automatic self-leveling in both

horizontal and vertical Provides fast and accurate setup in horizontal and vertical.

HV301G

Green beam provides superior beam

. Four times more visible than red beams For use over longer ranges or

Long range remote control

Adjust rotation speeds or scanning zones from anywhere on the job site.

Flexible power options

bright conditions

 Efficient Nickel-Metal Hydride rechargeable batteries are standard. Alkaline batteries can provide power backup

. Total control for any application Several unique

The most versatile laser - ever

Dual Grade, Horizontal, Vertical.

Interior and Pipe Laving Lase

Fully automatic in X, Y

advanced features . Plane-Lok Grade Match and Axis

Alignment ensure accuracy and fast setup

Pipe Lasers DG511/DG711

Largest self-leveling range

· Fast, easy setups. No rough leveling requir

Wireless remotes

included standard Construction tough

· Stands up to the demanding

underground conditions. Proven rugged dependability.



DET-2 / ALXX-A/M Series

Digital Electronic Theodolite

- · 2 second accuracy for all construction applications
- Dual sided LCD with large

Optical Instruments

easy to read characters. Rechargeable and alkaline

battery packs included.

Spectra Precision Auto Levels

20, 24, 28 or 32 power magnification.

· Choice of air dampened or

Grade Lasers

GL412/GL422

Fully automatic self-leveling performs three jobs cost effectively

Level, -10 to +15% grade, and

Full function remote control

does everything you can do at the laser keypad

High accuracy in any weather.

compensation

 Make grade changes from anywhere on the job reducing setup times. Automatic temperature and grade

GL512/GL522

2-way full function radio

remote control Perform all functions that you can do at the laser keypad anywhere on the

job site. Wireless communication with the

- HL750 Laserometer
- Grade Matching easily measure unknown grade between two points. PlaneLok - locks the beam to a fixed elevation or vertical alignment point for maximum stability and accuracy.
- · Remote grade checking and wireless

Laser Receivers

HR's. HL's. CR600 & DR400

Traditional laser receivers

 HR150U HR320 Ideal for general exterior



- and interior applications. Models with LED's



- HL450, HL700, HL750.
- Digital readout of elevation



- Specialty receivers Machine or rod mounted - CR600.
- . Universal receivers detect red, infrare
- and green beams HL750U, HR150U. Exceptional durability and warranty.



Rod clamps are standard on all receivers

Checker - DR400 DigiRod



Portable Tools LP's. XL's. PL's & HD's

LP30 and LP50 Laser Pointers

Three and five point lasers are ideal for interior wall layout, level and plumb alignment of doors, windows, cabinets and chair rails. Perfect for point transfer.

1.3XL 3 Beam Cross Line Layout

Laser with 1 Down Point One self-leveling tool gives you level, horizontal and vertical layout, square, and plumb. Ideal for interior wall construction, ceilings, cabinets and even exterior leveling with optional receiver.



5 2XI Multi-Purnose 5 Point & Cross Line laser

self-leveling, multipurpose tool combines a pointer and line enerator in one tool.

1.5PL Precision Laser

Built in collapsible tripod legs and fine

adjustment knobs

ensure setup is fast and accurate



· Fast and accurate







HD100 Laser