



[Click Here To View
Item at
www.GapPower.com](http://www.GapPower.com)

*Sales • Rentals
Parts & Service*

TRANSPORTING

The unit may be transported under its own power. With the lift lever up and the clutch control disengaged, start the engine and compress and hold the operator presence lever. Engage only the drive transmission clutch by pushing the clutch control forward **without** pulling the reel control lever back. Set the throttle to the operator's desired walking speed.

The unit may be loaded into the back of a truck or trailer using a gradual sloped ramp and operating the unit in the same manner as stated previously.



WARNING

Use adequate lifting device and/or assistance when loading and unloading unit. If loading by ramp, be sure ramp is properly supported.

Keep hands and feet from underneath the unit while operating or ramp loading the unit.

SPECIFICATIONS

Front axle..... 3/4" (19 mm) diameter
mounted in self-aligning ball bearings
Rear axle..... 3/4" (19 mm) diameter
welded to pivot arms

Blades.....High carbon steel (hardened)

Chassis.....3/16" (5 mm) formed and
welded steel plate

Clutch.....Belt tightener type for reel
and forward travel

Controls.....Throttle control, lift lever
combined drive and reel clutch lever

Depth Adjustment.....Micrometer screw

Depth of Cut.....Up to 1/4" (6 mm)

Dimensions:

Width.....36" (91cm)

Height.....44" (112cm) including handle

Length.....53" (135cm) including handle

Wheelbase.....16 1/2" (42cm)

Width of cut.....19" (483 mm)

Net Weight.....425 lbs. (195 Kg) with 547553 Reel

Gear Case.....22 to 1 reduction

Speed...246 ft./min.(74m/min.) at 3200 engine r.p.m.

Drive....."A" section belt from engine to gear box
No. 40 sealed roller chain from gearbox to front axle
Matched set of 3, V section belts from engine to reel

Engine.....Model No. CH11T, 11 H.P. Kohler
Kohler specification number PS - 1630. Governor
set at 3200 r.p.m. (no load). Engine displacement
is 24.3 cu. in. (398 cc) and develops
20.2 ft.-lbs. (27.4 N·m) of torque at 2000 r.p.m.

Hopper Capacity.....0.83 cu. ft. (0.0235 cu. m)

Reduction.....Engine to reel - 1:1
Engine to wheels - 36:1

Reel.....Quick change mounting
Rotation in opposite direction of forward motion

Seed Density.....Adjustable for seed type

Seed Flow Control.....seed dispensed automatically
when unit is lowered, stops when reel is raised.


Seed Spacing.....seed rows 2" (50mm) apart

Reel Speed.....3200 r.p.m.

Wheels.....Front; 4.10/3.50 - 4, pneumatic tires
chain driven
Rear; 4.10/3.50 - 4 pneumatic tires
free wheeling on self-aligning ball bearings.

PARTS SECTION

FIGURE 1



MATAWAY OVERSEEDER

CHASSIS


FIGURE 1

ITEM	PART NO.	DESCRIPTION	QTY	ITEM	PART NO.	DESCRIPTION	QTY
1-1	64006-03	WASHER, 3/8 HELICAL LCK	3	1-48	4124197	WHEEL ASSY (INCLUDES ITEMS 42-44, 47, 49 & 50)	2
1-2	64123-82	BOLT-HEX 3/8-16X2-1/2	1				
1-3	64123-107	BLT-HEX 5/16-18X7/8	4	1-49	517332	RIM	1
1-4	64151-15	5/16-18 HEX NUT CNTRLCK	2	1-50	523264	TIRE	1
1-5	64164-19	KEY WOODRUFF.19X.75 #9	3	1-51	64141-6	NUT, 5/16-18	4
1-6	64001-2	NUT-JAM 3/8-24	4	1-52	64144-02	SNAP RING 3/4	2
1-7	64123-50	BOLT-HEX 3/8-16X1	2	1-53	807443	FTG, GREASE 45D.25-28	1
1-8	306555	SCREW, 5/6-18 X 5/8	11	1-54	64151-18	NUT, HEX	2
1-9	64025-05	NUT-3/8-16 HEX	1	1-55	547634	WEIGHT AY	1
1-10	64123-104	BLT-HEX 5/16-18X2-3/4	2	1-56	523477	CHAIN,SEALED ROLLER (INCLUDES 522122 LINK CONNECTOR)	1
1-11	64018-9	BLT-CRG 5/16-18X3/4 G5	4				
1-12	64025-02	NUT-HEX 5/16-18	2	1-57	521845	BEARING,NEEDLE	1
1-13	306956	COTTER PIN	6	1-58	64163-55	WASHER .328X.75X14 GA	2
1-14	841261	SPROCKET, 16T 1/2P BLK	1	1-59	64163-61	WSHR .81X.406X16GA	13
1-15	516825	GUARD	1	1-60	548201	SETSCREW, 5/16-18 X 5/16	6
1-16	516944	HUB	2	1-61	64144-03	SNAP RING 7/8"	2
1-17	517226	BRG,SLV .33 .50 .20 IRON	2	1-62	548456	PIN,CLEVIS.438 1.25 YS	4
1-18	517348	SPROCKET	1	1-63	548477	WASHER	4
1-19	517641	SCRW,SPCL.38-16 1.75 HX	1	1-64	64141-4	NUT-WLF 3/8-16	2
1-20	518506	SPRING	2	1-65	64123-87	BOLT-HEX 3/8-16X1-3/4	2
1-21	519038	BUSHING	2	1-66	4124319	LABEL-FRONT, MATAWAY	1
1-22	519039	LEVER	2	1-67	524544	DECAL,REEL HEIGHT ADJ.	1
1-23	519040	HOOK, UPPER RIGHT	1	1-68	869081	DECAL,DANGER	1
1-24	519041	HOOK, UPPER LEFT	1				
1-25	519042	NUT	2				
1-26	519043	CLAMP, ROD LOWER	2				
1-27	519045	CLAMP, REEL	2				
1-28	519057	PLATE	1				
1-29	519059	SHAFT,FRONT	1				
1-30	519874	RACE,INNER	1				
1-31	522714	SCRAPER, WHEEL	2				
1-32	524508	LINK, LIFT	4				
1-33	547743	STOP, BELT	1				
1-34	548962	HOUSING,BEARING	4				
1-35	521856	BEARING,BALL	2				
1-36	521857	COLLAR,BRG LOCKING	2				
1-37	540195	FRAME	1				
		(INCLUDES ITEM 38)					
1-38	548224	FITTING,GREASE 1/4 SPC	4				
1-39	540236	ARM, LEFT	1				
1-40	540237	ARM, RIGHT	1				
1-41	4124194	WHEEL, 4.10/3.50-4 2PLY (INCLUDES ITEMS 42-47)	2				
1-42	306320	NUT-5/16-24	4				
1-43	64006-02	LOCKWSHR-HELICAL 5/16	4				
1-44	306861	SCRW,.31-24.625 YS HX	4				
1-45	548123	BEARING, WHEEL	2				
1-46	548543	TIRE-4.10/3.50-4, 2 PLY	1				
1-47	548546	TUBE	1				

HANDLE ASSEMBLY

MATAWAY OVERSEEDER

FIGURE 2



MATAWAY OVERSEEDER

HANDLE ASSEMBLY


FIGURE 2

ITEM	PART NO.	DESCRIPTION	QTY	ITEM	PART NO.	DESCRIPTION	QTY
2-1	64163-55	WASHER .328X.75X14 GA	6	2-51	800026	SCREW, .25-20.75 YS	4
2-2	111898	CLAMP,CABLE	1	2-52	64151-17	LOCKNUT, HEX	1
2-3	120052	LOCKWASHER	3	2-53	64151-15	5/16-18 HEX NUT CNTRLCK	2
2-4	64006-05	LOCKWSHR-HELICAL 1/2	2	2-54	819195	TSCRW,#8-18.50 YS	2
2-5	64001-10	NUT-HEX JAM 7/16-20	1	2-55	800896	TSCRW,.190-24.75 YS	1
2-6	64123-89	BOLT-HEX 1/4-20X3/4	1	2-56	805421	SPRING,EXTENSION	1
2-7	304636	COTTER PIN, 12 x 1.12 YS	1	2-57	806800	SWITCH,STOP LIGHT	1
2-8	64123-107	BLT-HEX 5/16-18X7/8	2	2-58	813840	CLIP	1
2-9	64006-02	LOCKWSHR-HELICAL 5/16	2	2-59	814585	BUSHING	1
2-10	64164-19	KEY WOODRUFF.19X.75 #9	5	2-60	820529	SPACER (PLATING)	1
2-11	64025-01	NUT-1/4-20 HEX	6	2-61	826190	TUBING, CONVOLUTED 50'A/R	1
2-12	306391	SCRW,#10-32.31 YS	2	2-62	826633	PIN,CLEVIS.31 2.38 ZS	1
2-13	64006-01	LOCKWSHR-1/4 HELICAL	6	2-63	524496	DECAL,CONTROL DRIVE	1
2-14	306401	SCREW, MACHINE-RNDHD	1	2-64	524497	DECAL,CONTROL REEL	1
2-15	64123-68	BOLT-HEX 5/16-18X1	2	2-65	00903491	DECAL, OPERATING INSTR	1
2-16	306531	NUT, 10-24 YS HEX	2	2-66	524547	DECAL,WARN-HEARING	1
2-17	64025-02	NUT-HEX 5/16-18	2	2-67	524564	DECAL,THROTTLE	1
2-18	306956	COTTER PIN	1	2-68	64123-100	BOLT-3/8-16X2-1/4 HEX	2
2-19	64163-55	WASHER .328X.75X14 GA	1	2-69	522638	BUSHING, PIVOT	2
2-20	64163-03	WSHR-.256X.62X18GA.	6	2-70	524517	PLATE, MOUNTING	2
2-21	64123-73	BLT-HEX 1/2-13X1	2				
2-22	65286-4A	TIE,CABLE 11-5/8 BLACK	2				
2-23	515838	ROD, CONTROL	1				
2-24	516855	SHAFT	1				
2-25	516859	LEVER, ADJUSTING	1				
2-26	516972	BRACE	2				
2-27	521679	BUSHING	2				
2-28	548456	PIN,CLEVIS.438 1.25 YS	1				
2-29	524490	MOUNT,SWITCH (PLATED)	1				
2-30	524493	ARM,PIVOT	1				
2-31	524513	ARM, LIFT	2				
2-32	524526	BRACKET, LIFT HANDLE	1				
2-33	524578	BUSHING, .328X.63X.6	2				
2-34	540242	HANDLE AY	1				
2-35	540243	CONTROL AY,THROTTLE	1				
2-36	540245	CONTROL AY,KILL SWITCH	1				
2-37	540265	WIRE AY, 7.5"	1				
2-38	540266	WIRE AY, 75"	1				
2-39	540272	COVER, CNTRL W/DECALS	1				
2-40	2702291.2	HANDLE AY	1				
2-41	2702111	HANDLE AY,LOCKING PLTD	1				
2-42	2702295.2	ARM AY,FRAME LIFT	2				
2-43	546321	SCREW AY, ADJUST PLTD	1				
2-44	548201	SETSCREW, 5/16-18 X 5/16	3				
2-45	548204	SSCRW,.38-16.38 BS NH	2				
2-46	548507	CLEVIS	1				
2-47	548518	HAND GRIP	2				
2-48	64141-4	NUT-WLF 3/8-16	2				
2-49	548905	SCREW, .38-16 1.00 YS	4				
2-50	800024	SCRW,.25-20 1.50 YS	1				

CLUTCH ASSEMBLY AND CONTROL

MATAWAY OVERSEEDER

FIGURE 3




MATAWAY OVERSEEDER

CLUTCH ASSEMBLY AND CONTROL

FIGURE 3

ITEM	PART NO.	DESCRIPTION	QTY	ITEM	PART NO.	DESCRIPTION	QTY
3-1	64006-03	WASHER, 3/8 HELICAL LCK	5	3-51	64151-15	5/16-18 HEX NUT CNTRLCK	1
3-2	64163-55	WASHER .328X.75X14 GA	3	3-52	800177	SCRW,.31-18.75 YS PR	1
3-3	64001-10	NUT-HEX JAM 7/16-20	1	3-53	64151-18	NUT, HEX	1
3-4	64123-89	BOLT-HEX 1/4-20X3/4	1	3-54	800492	CAPSCREW,HEX	2
3-5	64123-82	BOLT-HEX 3/8-16X2-1/2	2	3-55	64268-02	NUT-FL NYLON LCK 5/16-18	2
3-6	304363	PIN, COTTER 1/8X1-1/8	1	3-56	64262-006	BLT-FLG HD 5/16-18 X 3/4	1
3-7	64025-04	NUT-3/8-24 HEX	1	3-57	800883	SCRW,.38-24 2.25 YS HX	1
3-8	64123-107	BLT-HEX 5/16-18X7/8	1	3-58	805421	SPRING,EXTENSION	1
3-9	64025-01	NUT-1/4-20 HEX	3	3-59	830005	PIN,CLEVIS.308 1.69 PS	1
3-10	64006-01	LCKWSHER-1/4 HELICAL	3	3-60	809183	WSHR,.25.75.10 YS FLAT	2
3-11	64123-50	BOLT-HEX 3/8-16X1	3	3-61	64163-34	WSHR.256/.267X1X11GA	1
3-12	64123-69	BOLT-5/16-18X1-1/2 HEX	2				
3-13	306531	NUT, 10-24 YS HEX	2				
3-14	64025-05	NUT-3/8-16 HEX	4				
3-15	64123-100	BOLT-3/8-16X2-1/4 HEX	1				
3-16	64025-02	NUT-HEX 5/16-18	1				
3-17	306956	COTTER PIN	2				
3-18	64163-03	WSHR-.256X.62X18GA.	3				
3-19	64163-67	WASHER-.516X1X12GA	1				
3-20	516544	BUSHING (PLATING)	1				
3-21	517226	BRG,SLV .33 .50 .20 IRON	1				
3-22	2701258	SPRING, TSN 1.0X3.62X14	1				
3-23	518487	SPRING	1				
3-24	522882	PULLEY,IDLER	1				
3-25	522604	BRACKET, HANDLE	1				
3-26	523508	GUIDE, BELT	2				
3-27	524507	NUT,SSPCL.312-18 Z HX	2				
3-28	524509	LINK (PLATING)	1				
3-29	524560	RETAINER,SPRING	1				
3-30	524561	ROD, CONTROL	1				
3-31	524565	CAM,CONTROL (PLATED)	1				
3-32	524576	TRIGGER,LOCKING PLTD	1				
3-33	524577	BUSHING,.328X.63X.41	2				
3-34	524579	CABLE,CONTROL	1				
3-35	524585	HANDLE, CONTROL	1				
3-36	524591	COVER,VINYL	1				
3-37	540241	ARM AY	1				
3-38	540246	PIVOT	1				
3-39	540247	IDLER ARM	1				
3-40	540270	BRACKET	1				
3-41	540271	LEVER AY,CONTROL PLTD	1				
3-42	822474	SPACER	1				
3-43	64163-61	WSHR .81X.406X16GA	5				
3-44	548171	KNOB	1				
3-45	548224	FITTING,GREASE 1/4 SPCL	2				
3-46	548456	PIN,CLEVIS.438 1.25 YS	1				
3-47	548507	CLEVIS	1				
3-48	64141-6	NUT, 5/16-18	2				
3-49	548942	PULLEY, PLAIN FLAT 3.25	1				
3-50	800026	SCREW, .25-20.75 YS PR	2				

FIGURE 4




MATAWAY OVERSEEDER

ENGINE AND DRIVE ASSEMBLY

FIGURE 4

ITEM	PART NO.	DESCRIPTION	QTY	ITEM	PART NO.	DESCRIPTION	QTY
4-1	111898	CLAMP,CABLE	1				
4-2	120052	LOCKWASHER	1				
4-3	64006-03	WASHER, 3/8 HELICAL LCK	6				
4-4	64123-50	BOLT-HEX 3/8-16X1	2				
4-5	64152-06	10-24X1/2 MACH SCREW	1				
4-6	306531	NUT, 10-24 YS HEX	1				
4-7	64123-100	BOLT-3/8-16X2-1/4 HEX	4				
4-8	64164-25	KEY-1/4X7/8 #807	2				
4-9	515390	WASHR,.39 1.25.19 FLAT	4				
4-10	515755	CLIP	1				
4-11	516892	PULLEY, REEL BELT	1				
4-12	517101	PULLEY,3 IN. DIA BLK	1				
4-13	517123	SHAFT	1				
4-14	520574	KEY,.25 X.25 X 2.50 PS	1				
4-15	544068	PILLOW BLOCK COMPLETE (INCLUDES ITEMS 16, 17, 18 & 30)	1				
4-16	547835	PILLOW BLOCK AY (INCLUDES ITEMS 17 & 30)	1				
4-17	521856	BEARING,BALL	1				
4-18	521857	COLLAR,BRG LOCKING	1				
4-19	547755	COUPLING (INCLUDES ITEMS 20 & 21)	1				
4-20	330748	SCRW,.31-18 1.00 BS HS	2				
4-21	548183	LWSHR,.31.09 HI-COLLAR	2				
4-22	547759	BELT,DRIVE, SET OF 3	1				
4-23	64163-61	WSHR .81X.406X16GA	2				
4-24	548201	SETSCREW, 5/16-18 X 5/16	6				
4-25	548204	SSCRW,.38-16.38 BS NH	2				
4-26	548403	V-BELT	1				
4-27	800400	NIPPLE,.38-18NPT 5.0 GS	1				
4-28	800401	CAP,.38-18NPT GS PIPE	1				
4-29	838790	SPACER, ENG MNT PLTD	4				
4-30	519809	PILLOW BLOCK	1				

FIGURE 5




MATAWAY OVERSEEDER

TRANSMISSION

FIGURE 5

ITEM	PART NO.	DESCRIPTION	QTY	ITEM	PART NO.	DESCRIPTION	QTY
5-1	64006-03	WASHER, 3/8 HELICAL LCK	4				
5-2	64123-50	BOLT-HEX 3/8-16X1	2				
5-3	64025-05	NUT-3/8-16 HEX	2				
5-4	524536	GUIDE,BELT (PLATING)	1				
5-5	2702128.2	TRANSMISSION AY (INCLUDES ITEMS 6-26)	1				
5-6	516700	SPACER	2				
5-7	516724	GEAR	1				
5-8	517137	PULLEY,4" DIA "A" SIZE	1				
5-9	517226	BRG,SLV .33 .50 .20 IRON	2				
5-10	517342	SPROCKET	1				
5-11	518820	SHAFT, OUTPUT	1				
5-12	518826	SHAFT, INPUT	1				
5-13	518827	GEAR	1				
5-14	522638	CASE, GEAR	2				
5-15	523515	BRACKET, MOUNTING	1				
5-16	546708	GEAR AY,IDLER 56T/20T (INCLUDES ITEM 17)	2				
5-17	515511	BUSHING	2				
5-18	548119	BRG,BALL.75 1.62.31 "OP"	4				
5-19	548201	SETSCREW, 5/16-18 X 5/16	2				
5-20	548204	SSCRW,.38-16.38 BS	1				
5-21	548274	OIL SEAL	2				
5-22	548324	RING,EXT RET.691ID.042T	2				
5-23	548369	KEY, WOODRUFF.19 X.62	4				
5-24	548911	NUT,.31-18 YS HSF	6				
5-25	548958	SCREW, .31-18 3.50 YS HX	6				
5-26	800120	PLUG,.38-18NPT PS SQ HD	2				
5-27	64163-61	WSHR .81X.406X16GA	4				
5-28	551094	SCREW, 3/8X1-3/4	2				
5-29	316909	SCREW, 5/16-18X4-1/2 (ITEM 5 INCLUDES A QUANTITY OF (6) ITEM 25 (2) OF THESE SCREWS WILL BE REPLACED BY ITEM 29)	2				

FIGURE 6




MATAWAY OVERSEEDER

GUARDS

FIGURE 6

ITEM	PART NO.	DESCRIPTION	QTY	ITEM	PART NO.	DESCRIPTION	QTY
6-1	112050	TSCRW,.25-20.62 YS HW	7				
6-2	64006-06	LCKWSHER-HELICAL 7/16	2				
6-3	64006-01	LCKWSHER-1/4 HELICAL	3				
6-4	64163-55	WASHER .328X.75X14 GA	2				
6-5	64163-03	WSHR-.256X.62X18GA.	3				
6-6	64123-84	BLT-HEX 7/16-14X1-1/2	2				
6-7	540279	GUARD, OVERSEEDER	1				
6-8	522982	SPACER (PLATING)	1				
6-9	540278	GUARD, W/DECALS	1				
6-10	524568	DECAL,OP INST	1				
6-11	840697	DECAL,WARNING HANDS	1				
6-12	4124320	LABEL-SIDE, MATAWAY RH	1				

FIGURE 7




MATAWAY OVERSEEDER

HOPPER DRIVE

FIGURE 7

ITEM	PART NO.	DESCRIPTION	QTY	ITEM	PART NO.	DESCRIPTION	QTY
7-1	64163-55	WASHER .328X.75X14 GA	3				
7-2	64006-03	WASHER, 3/8 HELICAL LCK	1				
7-3	64006-02	LCKWSHER-HELICAL 5/16	1				
7-4	64140-3	COTTER PIN-3/32X3/4	1				
7-5	64123-69	BOLT-5/16-18X1-1/2 HEX	1				
7-6	64025-05	NUT-3/8-16 HEX	1				
7-7	64025-02	NUT-HEX 5/16-18	1				
7-8	64163-61	WSHR .81X.406X16GA	1				
7-9	64123-88	BOLT, 3/8-16X2-3/4 HEX	1				
7-10	64163-67	WASHER-.516X1X12GA	2				
7-11	518487	SPRING	2				
7-12	521031	BUSHING	1				
7-13	521032	IDLER	1				
7-14	522606	ROD - CONTROL (PLATING)	1				
7-15	522613	ARM, IDLER	1				
7-16	522614	PULLEY, SPROCKET	1				
7-17	522653	BUSHING	1				
7-18	522882	PULLEY, IDLER	1				
7-19	547746	BRACKET, SPROCKET	1				
7-20	547754	BRACKET, MOUNTING	1				
		(INCLUDES ITEMS 21-26)					
7-21	64006-03	WASHER, 3/8 HELICAL LCK	1				
7-22	64025-05	NUT-3/8-16 HEX	1				
7-23	64123-100	BOLT-3/8-16X2-1/4 HEX	1				
7-24	515390	WASHR, .39 1.25.19 YS FLAT	1				
7-25	523516	NUT, SPECIAL	1				
7-26	523517	BUSHING	1				
7-27	548190	PIN, HAIR.69 1.88.09 YS	1				
7-28	64151-15	5/16-18 HEX NUT CNTRLCK	1				
7-29	822474	SPACER	2				
7-30	522902	BRACKET	1				

FIGURE 8



MATAWAY OVERSEEDER

HOPPER FRAME

FIGURE 8

ITEM	PART NO.	DESCRIPTION	QTY	ITEM	PART NO.	DESCRIPTION	QTY
8-1	64163-55	WASHER .328X.75X14 GA	1				
8-2	822529	PIN,HAIR.44 2.00.13 YS	1				
8-3	64006-02	LCKWSHER-HELICAL 5/16	5				
8-4	64123-68	BOLT-HEX 5/16-18X1	4				
8-5	64123-61	BLT-HEX 5/16-18X1-3/4	1				
8-6	64025-02	NUT-HEX 5/16-18	9				
8-7	516544	BUSHING (PLATING)	1				
8-8	517226	BRG,SLV .33 .50 .20 IRON	1				
8-9	522634	SPRING	1				
8-10	522656	STUD (PLATED)	1				
8-11	522657	BUSHING (PLATING)	1				
8-12	522659	LEVER,CONTROL	1				
8-13	524569	PIN (PLATED)	1				
8-14	522691	SUPPORT,ARM PIVOT	1				
8-15	524514	SPRING, EX 1.14X6.64x21	1				
8-16	524571	SUPPORT, HOPPER LH	1				
8-17	524572	SUPPORT, HOPPER RH	1				
8-18	545958	YOKE AY, CONTROL	1				
8-19	64163-61	WSHR .81X.406X16GA	2				
8-20	548190	PIN,HAIR.69 1.88.09 YS	1				
8-21	548902	SCRW,.31-18 1.00 YS HSF	4				
8-22	64141-6	NUT, 5/16-18	4				
8-23	64151-15	5/16-18 HEX NUT CNTRLCK	1				
8-24	806725	PIN,ROD CONNECTING	1				
8-25	64163-29	WASHER-21/64 X 1 X 11GA	1				

HOPPER AND DISC ASSEMBLY

MATAWAY OVERSEEDER

FIGURE 9





FIGURE 9

ITEM	PART NO.	DESCRIPTION	QTY	ITEM	PART NO.	DESCRIPTION	QTY
9-1	103960	WASHER, .75 1.50.13 FLAT	2	* FOR HOPPER PARTS OR DEALER INFORMATION CONTACT: GANDY CO. 528 GANDRUD ROAD OWATONA, MN USA 550060 REFER TO THEIR MODEL NUMBER 09086877			
9-2	112050	TSCRW, .25-20.62 YS HW	4				
9-3	64163-55	WASHER .328X.75X14 GA	2				
9-4	64123-07	BOLT, 1/4-20X1-1/2 HEX	20				
9-5	64006-02	LCKWSHER-HELICAL 5/16	4				
9-6	64140-3	COTTER PIN-3/32X3/4	2				
9-7	64123-68	BOLT-HEX 5/16-18X1	4				
9-8	64163-61	WSHR .81X.406X16GA	2				
9-9	307665	NUT, .75-16 YS HX JAM	2				
9-10	65286-4A	TIE,CABLE 11-5/8 BLACK	1				
9-11	522607	COLLAR,LOCKING	2				
9-12	522632	TUBE	10				
9-13	522633	V-BELT	1				
9-14	522652	COLLAR (PLATING)	2				
9-15	522662	PULLEY,6.50 DIA.	1				
9-16	522678	SPACER,DISC END, LEFT	1				
9-17	522679	SPACER,DISC END, RIGHT	1				
9-18	522680	SHAFT,DISC	1				
9-19	522682	SPACER,DISC	9				
9-20	522684	DISC,BLADE	10				
9-21	522688	BLADE,SCRAPER PLATED	10				
9-22	522689	FLANGETTE,TWO BOLT	4				
9-23	522690	BEARING	2				
9-24	522700	PLATE,RETAINER PLATED	2				
9-25	523493	CLIP,HOSE	10				
9-26	545938	SUPPORT AY	1				
9-27	2702280.2	SUPPORT AY,END LH	1				
9-28	545990	PANEL, TUBE HOLDER	1				
9-29	547648	ROD AY,ADJUSTING	1				
		(INCLUDES ITEMS 30-33)					
9-30	306405	WASHER, 3/8"	2				
9-31	518510	SPRING	1				
9-32	523342	CONNECTOR,ROD PLATED	1				
9-33	64151-18	NUT, HEX	1				
9-34	548190	PIN,HAIR.69 1.88.09 YS	4				
9-35	64044-1	SCREW-SET 1/4-20X1/4	2				
9-36	64139-08	BOLT-5/16-18X3/4 WLF	8				
9-37	548848	SPRING,COMPRESSION	20				
9-38	64141-2	NUT-WLF 1/4-20	4				
9-39	64141-6	NUT, 5/16-18	8				
9-40	64151-17	LOCKNUT, HEX	20				
9-41	826633	PIN,CLEVIS.31 2.38 ZS	2				
9-42	4124321	LABEL-SIDE, OVERSDR RH	1				
9-43	4124322	LABEL-SIDE, OVERSDR LH	1				
9-44	4124323	LABEL-FRONT, OVERSDR	1				
9-45	522834	DECAL,OP INST OVERSDR	1				

FIGURE 10



MATAWAY OVERSEEDER

REEL

FIGURE 10

ITEM	PART NO.	DESCRIPTION	QTY	ITEM	PART NO.	DESCRIPTION	QTY
10-1	516903	SPACER, .500 (12.7mm)	1				
10-2	516904	SPACER, .700 (18mm)	1				
10-3	521857	COLLAR,BRG LOCKING	1				
10-4	522835	SPACER, 1.925 (50mm)	9				
10-5	523293	BLADE	10				
10-6	544287	BLOCK AY,PILLOW (INCLUDES ITEM 7)	1				
10-7	548354	RING, INTERNAL RETAIN	1				
10-8	547778	NUT, REEL (INCLUDES ITEMS 9 & 10)	1				
10-9	548181	LOCKWASHER, 1/4"	1				
10-10	800583	SCREW, 1/4-20X1	1				
10-11	545640	PILLOW BLOCK AY (INCLUDES ITEM 12)	1				
10-12	548101	BEARING (INCLUDES ITEMS 13 & 14)	1				
10-13	521856	BEARING,BALL	1				
10-14	521857	COLLAR,BRG LOCKING	1				
10-15	545967	SHAFT, COMPLETE (INCLUDES ITEMS 16-20)	1				
10-16	306367	KEY, WOODRUFF	1				
10-17	522542	SHAFT	1				
10-18	522543	PULLEY	1				
10-19	522545	RING,RETAINING	1				
10-20	820484	WASHER, FLAT (USE ITEM 20 AS REQUIRED SO ITEM 1 DOES NOT CONTACT THE HEX SHAFT WHEN TIGHTENED)	3				
10-21*	547553	REEL , COMPLETE (INCLUDES ITEMS 1-20)	1				

* NOT ILLUSTRATED

World Class Quality, Performance And Support



Equipment from Jacobsen, a Textron company, is built to exacting standards ensured by ISO 9001 and ISO 14001 registration at all our manufacturing locations.

A worldwide dealer network and factory-trained technicians backed by Textron Parts Xpress provide reliable, high-quality product support.



BOB-CAT BROWER BUNTON CUSHMAN RYAN STEINER