



Sales Rentals

Sales Service

Parts & Service



DeWALT D24000 10 Inch Tile Saw

(SAWTIL10)



Product Features

- Cantilevering Rail/Cart system allows for 24" ripping capacity - 18" tile on diagonal
- Only 69 lbs allows one person to transport and set up tile saw
- Stainless steel rail system is integrated into the saw frame, ensuring accurate cuts
- Integrated 45/22.5° miter feature for quick angled cuts
- Plunge feature allows the user to make quick plunge cuts for electrical outlets and A/C registers
- Dual water nozzles can be adjusted for optimal water placement on blade in order to minimize over-spray and mist
- Rear and side water attachments help contain water run-off and blade spray
- Removable cutting cart for easy cleaning of tile saw
- Compact tile saw frame allows for easy transport and storage in vehicle - 34" x 26"
- 3-1/8" depth of cut allows for cutting of most V-cap and pavers
- Powerful 1.5 HP motor will cut hard materials such as porcelain and stone
- 5 gallon water pan allows for quick tile saw set-up and break-down
- Edge Guide with 2-position 45 degree guide allows for easy line-up of corner cuts

Specifications	
Amps	15.0Amps
Blade Diameter	10"
Max Rip Capacity	24" Tile"
Diagonal Cut Capacity	18" Tile"
Plunge Feature	Yes
Max Depth of Cut	3-1/8"
Integrated 45° Miter	Yes
Integrated 22.5° Miter	Yes
Length	34"
Width, Housing Only	26"
Edge Guide	45/90°
Pan Material	ABS Plastic
Stand	Included in D24000S
Removable Water Containment Tray	Yes
Position of Rail System	Integrated
Horsepower	1.5 Continuous DutyHP
Tool Weight	69lbs