



Sales Rentals

Sales Service

Parts & Service





A Super Compact, Versatile Lift At A Great Price!

The Perfect Lift For ...

- HVAC Contractors
- Electrical Contractors
- Industrial Maintenance
- Steel Erectors
- Facility Management

Series 2412 Features:

- A super compact 12 ft (3.6 m) lift
- 450 lb (200 kg) lift capacity
- One piece construction
 - no loose pieces
- Easily portable for one person operation

Pulley Guards

Contains load cable ... line cannot come off.

Handle

Use convenient handle for "hand truck" mobility and to position lift at point of use.

Winch

Coffee grinder style winch features autobraking and detachable winch handles.

Roller Wheels

Handy wheels located to ease rolling into vehicles for transportation.

8" (20 cm) non-marring wheels

Inside-Mast Cable Feed

Cable feeds inside mast, removed from the operator for safety – similar to the 2000 and 2100 Series lifts.



Reversible Forks

Two plunger pins permit quick release of forks. Forks may be removed for storage or reversed for added height.

2412 CONTRACTOR LIFT (PART No. 784750)

Height Max. (forks up)	13' 0"	3.9 m
Height Max. (forks down)	12' 0"	3.6 m
Lift Capacity	450 lbs	200 kg
Height Stowed	62-3/4"	159.4 cm
Length Stowed	23"	58.4 cm
Width Stowed	26-3/8"	67.1 cm
Width Max	26-3/8"	67.1 cm
Winch Cranks per ft / m	8	24
Basic Weight	195 lbs	88.5 kg

Double Row Casters

Œ

SUMNER

- √ Four 3" (7.5 cm) casters permit easy handling of heavy loads
- Swivel independently
- Lockable to insure safety
- ✓ Allow for multi-directional positioning of lift





Fits in most vans!



Ideal for Compact Storage

No tools or loose hardware to worry about. Leg lock mechanism releases with plunger pin and slides on base leg.

Compact Storage

Forks remove and legs reposition for space saving storage.







SERIES 2412 OPTIONS ...





Fork Extension (part no. 784695)

With the push of a button, forks may be extended from 23-1/4" (59.2 cm) to 29-7/16" (75.7 cm). When using the fork extensions the weight capacity reduces to 200 lbs (90 kg), as is clearly marked on the extended forks. A second button returns the extension for storage inside forks.

Tray (part no. 784320)

24" x 28" (61 x 71 cm) steel tray slides onto forks.



Pipe Cradle (part no. 783705)

Great for air ducts or other HVAC applications. Slides over forks. Packaged two per set.



Cable Brake (part no. 784755)

Each mast and carriage can have a factory installed, gravity actuated safety brake which holds loads in place in the event cable goes slack.

Sumner Manufacturing Co, Inc.

www.sumner.com

Sumner - U.S.

7514 Alabonson Road Houston, TX 77088 Ph: 281-999-6900 Fax: 281-999-6966

Sumner - Canada

75 Saltsman Drive, Unit 5 Cambridge, Ontario N3H 4R7 Ph: 519-653-5300 Fax: 519-653-5305

Sumner - U.K.

Unit 16A, Blackpole Trading Estate East Blackpole Road Worcester WR3 8SG Ph: (44) 01905 458333 Fax: (44) 01905 458222

DISTRIBUTED BY: