



[Click Here To View
Item at
www.GapPower.com](http://www.GapPower.com)

*Sales • Rentals
Parts & Service*

21" Single Hydro

- No need to raise the tines to turn the machine
- Wide unibody frame with 10-gauge steel construction
- Compact enough to get into the tightest areas and can aerate in reverse to back out
- Handles fold to make transport and storage a snap



- This model features a unique hydraulic drive system that provides excellent maneuverability and ease of use — **no need to raise the tines to turn the machine**. A wide unibody frame with 10-gauge steel construction and outboard drive wheels give this machine a low center of gravity for excellent side hill stability. Plus, it's compact enough to get into the tightest areas and can aerate in reverse to back out. Handles fold to make transport and storage a snap. Self-cleaning tines are capable of creating plugs up to 4" deep, depending on ground conditions.

Specifications

Aerating Depth	Up to 4"
-----------------------	----------

Aerating Width	21"
-----------------------	-----

Engine	Kawasaki FJ180V
---------------	-----------------

Fuel Capacity	1 gallon
----------------------	----------

Ground Speed	4 mph (forward)/2.2 mph (reverse)
---------------------	-----------------------------------

Height	38" (handle folded) 46" (handle up)
---------------	--

Length	48" (handle folded) 50" (handle up)
---------------	--

Weight	320 lbs. (with 1-27 lb. weight) 285 lbs. (w/out weights)
---------------	---

Width	31.5"
--------------	-------

Disclaimer	All walk-behind machines comply with ANSI safety standards: B71.4 for commercial turf care equipment or B71.8 for OPE walk-behind ground-engaging equipment.
-------------------	--