



Sales Rentals

Sales Service

Parts & Service

PROFESSIONALLY ENGINEERED TO CLEAN 3" TO 6" DIAMETER PIPELINES UP TO 100 FEET.





ELECTRIC EEL

# **MODEL** R

THE VERSATILE,

**RUGGEDLY-BUILT** 

**DRAIN CLEANER** 

**FOR JOBS** 

**BIG OR SMALL** 



## ELECTRIC EEL

# **MODEL** R

### Standard tools included with Model R





#### Three Element Tri-Max Cable



The strongest cable on the market is stress-relieved Tri-Max three-element cable. It contains an inner core cable made from right-hand wound galvanized aircraft wire, a protective plastic sheath that guards against rust and corrosion and a tough, long-lasting outer layer of left-hand wound wire offering the same quality and tensile strength as music wire.



- 2. Rugged frame constructed of 1-1/4" steel tubing.
- 3. Removable handle for easy transporting and working in tight spaces.
- 4. Snap-lock couplings hold tools firmly in place; no screws required to connect tools.
- 5. Built-in GFCI (Ground Fault Circuit Interrupter) on a 20 ft. line cord protects operator from electrical shock.
- 6. Air foot switch and cord assembly standard for easy operation.
- 7. Tri-Max cable available in 5/8" or 3/4" diameter.
- 8. Large 10" wheels for easy maneuvering.
- 9. Reinforced cable cage holds 100' of Tri-Max cable and removes quickly for easy loading.
- 10. Impact resistant belt guard for additional operation safety is mounted securely to the motor with a thumb screw making maintenance and repair faster and easier.

#### For More Information, Call 800-833-1212 or Visit Our Web Site at www.electriceel.com



Note: Always refer to operator's manual and safety instructions before operating any drain and sewer cleaning equipment.

ELECTRIC EEL MANUFACTURING CO., INC. 501 W. Leffel Lane, Springfield, Ohio 45501-9985 937-323-4644 Toll-Free: 800-833-1212 FAX: 937-323-3767 E-mail: info@electriceel.com www.electriceel.com LT-14