



Sales Rentals

Sales Service

Parts & Service





## roduct Features

- Automatic Filter Clean pulses every 30 seconds for continuous operations without stopping to clean filter
- Powerful 15 Amp motor delivers 140 CFM of airflow for maximum suction
- Power Tool Actuation controls the On/Off operations of the vacuum with a power tool
- Meets the EPA Lead Related Renovations, Repair andPainting (RRP) Rule for Hepa Vacuum only when DWV9320 Filter is used (Filter inlouded with unit)
- Variable Suction controls vacuum's power consumption and amount of suction
- · Telescoping handle for easy transport
- Universal hose connector provides a robust connection with swivel capability
- · Lightweight and portable weighing in at only 33.5 lbs
- Heavy duty wheels and locking casters provide jobsite durability
- Multiplelift and tie down points to secure vac to scaffolding or during transportation
- Simple one switch operation to select tool actuation or vac only
- Unit comes fully assembled
- · Can be used with wet or dry applications

Specifications	
Tank Size	10gal
Amps	15Amps
Max CFM	140CFM
Water Lift	81"
	23.5"x27.25"x18.5"
Weight	33.5lbs
Decibel	73dBA
Variable-Speed Dial	Yes
Power Cord	15ft
Hose Diameter	1 1/4"
Hose Length	15ft



